

| NSKF No. | ADR | FAG | GRW | RMB | BARDEN | MPB | NMB | NTN |
|----------|---------|----------|---------|-------|----------|--------|----------|---------|
| 681 | AX1 | | 681 | UL103 | | | L-310 | 681 |
| MR31 | | | | | | | L-310W51 | |
| 691 | | | 691 | | | | R-410 | 691 |
| MR41X | | | | | | | R-412 | BC1,2-4 |
| 681X | AX1.5 | | 68/1.5 | UL154 | | | R-415 | 68/1.5 |
| 691X | 619/1.5 | MR69/1.5 | 69/1.5 | R1550 | 19M1-5Y1 | EL1.5C | R-515 | 69/1.5 |
| 601X | | | | | | | R-615 | 60/1.5 |
| 682 | BX2 | MR682 | 682 | UL205 | | UL20C | L-520 | 682 |
| MR52 | | | | | | | | BC2.5 |
| 692 | AX2 | MR619/2 | 692 | R2060 | 19M2Y1 | EL2C | R-620 | 692 |
| MR62 | | | | | | | R-620W52 | BC2-6 |
| MR72 | | | | | | | R-720Y52 | BC2-7 |
| 602 | | | | | | | R-720 | 602 |
| 682X | AX2.5 | | 68/2.5 | UL256 | 18M2-5 | | L-625 | 68/2.5 |
| 692X | X2.5 | | 69/2.5 | | 19M2-5Y1 | | R-725 | 69/2.5 |
| MR82X | | | | | | | R-825Y52 | BC2.5-8 |
| 602X | 60/2.5 | MR60/2.5 | 60/2.5 | R2580 | | | R-825Y52 | 60/2.5 |
| MR63 | 617/3 | | | | | | L-630 | 673 |
| 683 | AX3 | MR618/3 | 683 | UL307 | | UL30C | L-730 | 683 |
| MR83 | X3 | | 693/003 | | | | R-830Y52 | BC3-8 |
| 693 | 619/3 | | 693 | | | | R-830Y52 | 693 |
| MR93 | | | | | | | R-930Y52 | BC3-9 |
| 603 | | | | | | | R-930 | 603 |
| 623 | 623 | MR623 | 623 | R3100 | 2M3Y1 | EL-3R | R-1030 | 623 |
| 633 | | | | | | | | 633 |
| MR74 | 617/4 | | | | | | L-740 | 674 |
| MR84 | | | | | | | L-840 | BC4-8 |
| 684 | AX4 | MR618/4 | 684 | UL409 | | UL40C | L-940 | 684 |
| MR104 | X4 | | | | | | L-1040 | BC4-10 |
| 694 | AY4 | | 694 | | | | R-1140 | 694 |
| 604 | 604 | | 604 | | | | R-1240 | 604 |
| 624 | 624 | MR624 | 624 | R4130 | 2M4 | EL4R | R-1340 | 624 |
| 634 | 634 | MR634 | 634 | R4160 | 34 | | R-1640 | 634 |
| MR85 | 617/5 | | | | | | L-850 | 675 |
| MR95 | | | | | | | L-950 | BC5-9 |
| MR105 | | | | | | | L-1050 | BC5-10 |
| 685 | X5 | MR618/5 | 685 | UL511 | UL50C | UL50C | L-1150 | 685 |
| 695 | AY5 | | 695 | | | | R-1350 | 695 |
| 605 | | | 605 | | | | R-1450 | 605 |
| 625 | 625 | MR625 | 625 | R5160 | Mai-34 | EL5R | R-1650 | 625 |
| 635 | 635 | MR635 | 635 | R5190 | 35 | | R-1950 | 635 |
| MR106 | 617/6 | | | | | | L-1060 | 676 |
| MR126 | X6 | | | | | | L-1280 | BC6-12 |
| 686 | AX6 | MR618/6 | 686 | UL613 | | UL60C | L-1380 | 686 |
| 696 | AY6 | | 696 | | | | R-1580 | 696 |
| 606 | | | | | | | R-1760 | 606 |
| 626 | 626 | MR628 | 626 | R6190 | 38 | EL6R | R1960 | 626 |
| MR117 | 617/7 | | | | | | L-1170 | 677 |
| MR137 | | | | | | | L-1370 | BC7-13 |
| 687 | AX7 | 618/7 | 687 | UL714 | | UL70C | L-1470 | 687 |
| 697 | AY7 | | 697 | | | | | 697 |
| 607 | 607 | MR607 | 607 | | | EL7R | R-1970 | 607 |
| 627 | 627 | MR627 | 627 | R7220 | 37 | | R-2270 | 627 |
| MR128 | 617/8 | | | | | | L-1280 | 678 |
| MR148 | | | | | | | L-1480 | BC8-14 |
| 688 | X8 | MR618/8 | 688 | UL816 | | | L-1680 | 688 |
| 698 | AY8 | | 698 | | 19M8 | | R-1980 | 698 |

| | | | | | | | | |
|----------|---------|---------|----------|--------|----------|---------|------------|------------|
| 608 | 608 | MR608 | 608 | R8220 | 38 | EL8R | R-2280 | 608 |
| 628 | | | | | | | | 628 |
| 689 | X9 | | 689 | UL917 | | | L-1790 | 689 |
| 699 | AY9 | | 699 | | 19M9 | | L-2090 | 699 |
| 609 | 609 | 609 | 609 | 609 | | | | 609 |
| 629 | 629 | MR629 | 629 | | 39 | | | 629 |
| 681XZZ | AX1.5ZZ | | 68/1.5ZZ | ULZ154 | | UL15CHH | L-4152Z | W68/1.5ZZA |
| 691XZZ | X1.5ZZ | | 69/1.5ZZ | | | | R515ZZ | W69/1.5ZZA |
| 601XZZS | | | | | | | R-615ZZ | W60/1.5ZZA |
| 682ZZZS | BX2ZZ | | 682-2Z | ULZ205 | 38M2SS | UL20CHH | L-520ZZ | W682ZZA |
| MR52ZZ | | | | | | | L-520ZZW52 | WBC2-5ZZA |
| 692ZZ | AX2ZZ | | | | | | R-620ZZ | W692ZZA |
| MR62ZZ | | | | | | | R-620ZZY52 | |
| MR72ZZ | | | | | | | R-720ZZY03 | WBC2-7ZZA |
| 602ZZS | | | | | | | R-720ZZ | W602ZZA |
| 682XZZS | AX2.5ZZ | | 68/2.5ZZ | ULZ256 | 38M2-5SS | | L-625ZZ | W68/2.5ZZA |
| 692XZZ | | | 69/2.5ZZ | | | | R-725ZZ | W69/2.5ZZA |
| 602XZZS | | | | | | | R-825ZZ | W60/2.5ZZA |
| MR63ZZ | | | | | | | L-630ZZ | WA673ZZA |
| 683ZZ | AX3ZZ | | 683-2Z | UL7307 | 38M3SS | UL30CHH | L-730ZZ | W683ZZA |
| 693ZZ | | | 693-2Z | | | | R-830ZZ | W693ZZA |
| MR93ZZ | | | | | | | R-930ZZY04 | WBC3-9ZZA |
| 623ZZ | 623ZZ | 623ZZ | 623-2Z | RF310 | 2M3SSY1 | EL3RHH | R-1030ZZ | 623ZZ |
| 633ZZ | | | | | | | | 633ZZ |
| MR74ZZ | | | | | | | L-740X2ZZ | WA674ZZA |
| MR84ZZ | | | | | | | L-840ZZ | WBC4-8ZZA |
| 684ZZ | 638/4ZZ | | 684-2Z | ULZ409 | 38M455 | UL40CHH | L-940ZZ | W684ZZA |
| MR104ZZ | X4ZZ | | | | | | L-1040ZZ | WBC4-10ZZA |
| 694ZZ | AY4ZZ | | 694-2Z | | | | R-1140ZZ | 694ZZ |
| 604ZZ | 604ZZ | | 604-2Z | | | | R-1240ZZ | 604ZZ |
| 624ZZ | 624ZZ | 624ZZ | 624-2Z | RF413 | 2M4SS | EL4RHH | R-1340ZZ | 624ZZ |
| 634ZZ | 634ZZ | MR634ZZ | 634-2Z | RV416 | 34SS | 34RHH | R-1640ZZ | 634ZZ |
| MR85ZZ | | | | | | | L-850ZZ | WA675ZZA |
| MR95ZZA | | | | | | | L-950X2ZZ | WBC5-9ZZA |
| MR105ZZ | | | | | | | L-1050ZZ | WBC5-10ZZA |
| 685ZZ | 638/5ZZ | | 685-2Z | ULZ511 | | UL50CHH | L-1150ZZ | W685ZZ |
| 695ZZ | AY5ZZ | | 695-2Z | | | | R-1350ZZ | 895ZZ |
| 605ZZ | | | 605-2Z | | | | R-1450ZZ | 605ZZ |
| 625ZZ | 625ZZ | 625ZZ | 625-2Z | RV516 | 34.5SS | EL5RHH | R-1650ZZ | 625ZZ |
| 635ZZ | 635ZZ | MR635ZZ | 635-2Z | RV519 | 35SS | | R-1950ZZ | 635ZZ |
| MR106ZZS | | | | | | | L-1060ZZ | WA676ZZA |
| MR126ZZ | X6ZZ | | | | | | L-1260ZZ | WBC6-12ZZA |
| 686ZZ | 628/6ZZ | | 686-2Z | ULZ613 | | UL60CHH | L-1360ZZ | W686ZZ |
| 696ZZ | ZY6ZZ | | 696-2Z | | | | R-1560ZZ | 696ZZ |
| 606ZZ | | | | | | | R-1760ZZ | 606ZZ |
| 626ZZ | 626ZZ | MR626ZZ | 626-2Z | RV619 | 36SS | EL6RHH | R-1960ZZ | 626ZZ |
| MR117ZZS | | | | | | | L-1170ZZ | WA67ZZA |
| MR137ZZS | | | | | | | L-1370ZZ | WBC7-13ZZA |
| 687ZZ | AX7ZZ | | 687-2Z | ULZ714 | | UL70CH | L-1470ZZ | W687ZZ |
| 697ZZ | AY7ZZ | | 697-2Z | | | | | 697ZZ |
| 607ZZ | 607ZZ | 607ZZ | 607-2Z | | | EL7RHH | R-1970ZZ | 607ZZ |
| 627ZZ | 627ZZ | MR627ZZ | 627-2Z | RV722 | 37SS | | R-2270ZZ | 627ZZ |
| MR128ZZS | 637/8ZZ | | | | | | L-1280ZZ | W678ZZA |
| MR148ZZA | | | | | | | L-1480ZZ | WBC8-14ZZA |
| 688ZZ | X8ZZ | | | ULZ816 | | | L-1680ZZ | W688ZZ |
| 698ZZ | AY8ZZ | | 698-2Z | | 19M8SS | | R-1980ZZ | 698ZZ |
| 608ZZ | 608ZZ | MR608ZZ | 608-2Z | RV822 | 38SS | EL8RHH | R-2280ZZ | 608ZZ |
| 628ZZ | | | | | | | | 628ZZ |

| | | | | | | | | |
|-------|----------|---------|---------|--------|-----------|--------|-----------|-----------|
| 689ZZ | X9ZZ | | | ULZ917 | | | L-1790ZZ | W689ZZ |
| 699ZZ | AY9ZZ | | 699-2Z | | 19M9SS | | L-2090ZZ | 699ZZ |
| 609ZZ | 609ZZ | 609ZZ | | | | | | 609ZZ |
| 629ZZ | 629ZZ | MR629ZZ | 629-2Z | | 39SS | | | 629ZZ |
| F681 | | | | | | | LF-310 | FL681 |
| F691 | | | | | | | RF-410 | FL691 |
| MF41X | | | | | | | RF-412 | FLBC1.2-4 |
| F681X | FAX1.5 | | F68/1.5 | ULK154 | | | LF-415 | FL68/1.5 |
| F691X | F619/1.5 | | F69/1.5 | | F19M1-5Y1 | | RF-515 | FL69/1.5 |
| F601X | | | | | | | RF-615 | FL60/1.5 |
| F682 | FBX2 | | F682 | ULK205 | F682 | UL20FC | LF-520 | FL682 |
| MF52 | | | | | | | | |
| F692 | FAX2 | | F692 | RK2060 | F692 | | RF-620 | FL692 |
| MF62 | | | | | | | RF-620W52 | FL8C2-6 |
| MF72 | | | | | | | RF-720Y52 | |
| F602 | | | | | | | RF-720 | FL602 |
| F682X | FAX2.5 | | F68/2.5 | ULK256 | F68/2.5 | | LF-625 | FL68/2.5 |
| F692X | FX2.5 | | F69/2.5 | | F19M2-5Y1 | | RF-725 | F169/2.5 |
| MF82X | | | | | | | RF-825Y52 | FLBC2.5-8 |
| F602X | | | | RK2580 | | | RF-825Y52 | FL60/2.5 |
| MF63 | | | | | | | LF-630 | FL673 |
| F683 | FAX3 | | F683 | ULK307 | F683 | UL30FC | LF-730 | FL683 |
| MF83 | | | | | | | RF-830 | FL693 |
| MF93 | | | | | | | RF930Y52 | FLBC3-9 |
| F603 | | | | | | | RF-930 | FL603 |
| F623 | F623 | | F623 | RK3100 | F623 | | RF-1030 | FL623 |
| MF74 | | | | | | | LF-740 | FL874 |
| MF84 | | | | | | | LF-840 | FLBC4-8 |
| F684 | FAX4 | | F684 | ULK409 | F684 | UL40FC | LF-940 | FL684 |
| MF104 | | | | | | | LF-1040 | FLBC4-10 |
| F694 | | | F694 | | F694 | | RF-1140 | FL694 |
| F604 | | | | | | | RF-1240 | FL604 |
| F624 | F624 | | F624 | | F624 | | RF-1340 | FL624 |
| F634 | | | F634 | | F634 | | RF-1640 | |
| MF85 | | | | | | | LF-850 | FL675 |
| MF95 | | | | | | | LF-950 | FLBC5-9 |
| MF105 | | | | | | | LF-1050 | FLBC5-10 |
| F685 | FX5 | | F685 | ULK511 | F685 | UL50FC | LF-1150 | FL685 |
| F695 | | | F695 | | F695 | | RF-1350 | FL695 |
| F605 | | | F605 | | | | RF-1450 | FL605 |
| F625 | | | F625 | | F625 | | RF-1650 | FL625 |
| F635 | | | F635 | | F635 | | RF-1950 | |
| MF106 | | | | | | | LF-1060 | FL676 |
| MF126 | | | | | | | LF-1260 | FLBC6-12 |
| F686 | FAX6 | | F686 | | F686 | UL60FC | LF-1360 | FL686 |
| F696 | | | F696 | | F696 | | RF-1560 | FL696 |
| F606 | | | | | | | RF-1760 | FL606 |
| F626 | | | F626 | | F626 | | RF-1960 | FL626 |
| MF117 | | | | | | | LF-1170 | FL677 |
| MF137 | | | | | | | LF-1370 | FLBC7-13 |
| F687 | FAX7 | | F687 | ULK714 | F687 | UL70FC | LF-1470 | FL687 |
| F697 | | | F697 | | F697 | | | FL697 |
| F607 | F607 | | F607 | | F607 | | | |
| F627 | | | | | | | RF-2270 | |
| MF128 | | | | | | | LF-1280 | FL678 |
| MF148 | | | | | | | LF-1480 | FLBC8-14 |
| F688 | FX8 | | F688 | ULK816 | F688 | | LF-1680 | FL688 |

| NSKF No. | ADR | FAG | GRW | RMB | BARDEN | MPB | NMB | NTN |
|----------|----------|-----|------------|------------|-----------|----------|-------------|---------------|
| F698 | | | F698 | | F698 | | RF-1980 | FL698 |
| F608 | F608 | | F608 | | | | RF-2280 | FL608 |
| F689 | FX9 | | F689 | | | | LF-1790 | FL689 |
| F699 | | | | | | | | |
| F691XZZ | FX1.5ZZ | | F69/1,5-2Z | F69/1,5-2Z | | | | RF-515ZZ |
| F601XZZS | | | | | | | RF-615ZZ | FLW60/1.5ZZA |
| F682ZZ | FBX2ZZ | | F682-2Z | ULKZ205 | F682SS | UL20FCHH | LF-520ZZ | FLW682ZZA |
| F692ZZ | FAX2ZZ | | | | F692SS | | RF-620ZZ | FLW692ZZA |
| MF72ZZ | | | | | | | RF-720ZZY03 | FLW8C2-7ZZA |
| F602ZZS | | | | | | | RF-720ZZ | FLW602ZZA |
| F682XZZS | FAX2.5ZZ | | F68/2.5-2Z | ULKZ256 | F68/2.5SS | | LF-625ZZ | FLW68/2.5ZZA |
| F692XZZ | FX2.5ZZ | | F69/2.5-2Z | | F69/2.5SS | | RF-725ZZ | FLW69/2.5ZZA |
| F602XZZS | | | | | | | RF-825ZZ | FLW60/2.5ZZA |
| MF63ZZS | | | | | | | FL630ZZ | FLWA67ZZA |
| F683ZZ | FAX3ZZ | | F683-2Z | ULKZ307 | F683SS | UL30FCHH | LF-730ZZ | FLW683ZZA |
| F693ZZ | FX3ZZ | | F693-2Z | RKF308 | | | RF-830ZZ | FLW693ZZA |
| MF93ZZ | | | | | | | RF-930ZZY04 | FLWBC3-9ZZA |
| F623ZZ | F623ZZ | | F623-2Z | RKF310 | F623SS | | RF-1030ZZ | FL623ZZA |
| MF74ZZ | | | | | | | LF-740ZZ | FLWA674ZZA |
| MF84ZZ | | | | | | | LF-840ZZ | FLWBC4-8ZZA |
| F684ZZ | F683/4ZZ | | F684-2Z | ULKZ409 | F684SS | UL40FCHH | LF-940ZZ | FLW684ZZA |
| MF 104ZZ | | | | | | | LF-1040ZZ | FLAWBC4-10ZZA |
| F694ZZ | | | F694-2Z | | F694SS | | RF-1140ZZ | FL694ZZA |
| F604ZZ | | | | | | | RF-1240ZZ | FL604ZZ |
| F624ZZ | F624ZZ | | F624-2Z | | F624SS | | RF-1340ZZ | FL624ZZ |
| F634ZZ | | | F634-2Z | | F634SS | | RF-1640ZZ | FL634ZZ |
| MF85ZZ | | | | | | | LF-850ZZ | FLWA675ZZA |
| MF95ZZ | | | | | | | LF-950ZZ | FLWBC5-9ZZA |
| MF105ZZ | | | | | | | LF-1050ZZ | FLAWBC5-10ZZA |
| F685ZZ | F638/5ZZ | | F685-2Z | ULKZ511 | F685SS | UL50FCHH | LF-1150ZZ | FLW685ZZA |
| F695ZZ | | | F695-2Z | | F695SS | | RF-1350ZZ | FL695ZZ |
| F605ZZ | | | F605-2Z | | | | RF-1450ZZ | FL605ZZ |
| F625ZZ | | | F625-2Z | | F625SS | | RF-1850ZZ | FL625ZZ |
| F635ZZ | | | F635-2Z | | F635SS | | RF1950ZZ | FL635ZZ |
| MF106ZZ | | | | | | | RF-1650ZZ | FLWA676ZZA |
| MF126ZZ | | | | | | | UF-1260ZZ | FLAWBC6-12ZZA |
| F686ZZ | F628/6ZZ | | F686-2Z | ULKZ613 | F686SS | UL60FCHH | LF-1360ZZ | FLW686ZZA |
| F696ZZ | | | F696-2Z | | F696SS | | RF-1560ZZ | FL696ZZ |
| F606ZZ | | | | | | | RF-1760ZZ | FL606ZZ |
| F626ZZ | | | F626-2Z | | F626SS | | | FL626ZZ |
| MF117ZZS | | | | | | | LF-1170ZZ | FLWA677ZZA |
| MF137ZZS | | | | | | | LF-1370ZZ | FLAWBC7-13ZZA |
| F687ZZ | FAX7ZZ | | F687-2Z | ULKZ714 | F687SS | UL70FCHH | LF-1470ZZ | FLW687ZZA |
| F697ZZ | | | F697-2Z | | F697SS | | | FL697ZZ |
| F607ZZ | F607ZZ | | F607-2Z | | F607SS | | | FL607ZZ |
| F627ZZ | | | F627-2Z | | F627SS | | RF-2270ZZ | FL627ZZ |
| MF128ZZ | | | | | | | LF-1280ZZ | FLAW678ZZA |
| MF148ZZ | | | | | | | UF-1480ZZ | FLWBC8-14ZZA |
| F688ZZ | | | | | F688SS | | UF-1680ZZ | FLW688ZZ |
| F698ZZ | | | F698-2Z | | F698SS | | | FL698ZZ |
| F608-ZZ | F608ZZ | | F608-2Z | | F608SS | | RF-2280ZZ | FL608ZZ |

| | | | | | | | | |
|---------|----------|----------|-------------|---------|---------|-----------|-----------|----------|
| F689ZZ | | | | | F689SS | | FL-1790ZZ | FLW689ZZ |
| F699ZZ | | | | | | | | FL699ZZ |
| R09 | RO9 | RO308 | 1016 | UL1304 | | 2C | R1-2 | R01 |
| RO | X3/64 | R0310 | 1191 | UL1505 | RO | 21/2C | R1-21/2 | RO |
| R1 | R1 | R0412 | 1397 | R1706 | R1 | 3C | R1-3 | R1 |
| R1-4 | X5/64 | R0516 | BR5/64 | R2508 | R1-4 | 4C | R1-4 | R1-4 |
| R133 | AX3/32 | RO612 | 2380 | UL3008 | R133 | 3332C | R1-3332 | R133 |
| R1-5 | X3/32 | R620 | BR3/32 | R3010 | R1-5 | 5C | R1-5 | R1-5 |
| R144 | AX1/8 | R0816 | 3175 | UL4008 | R144 | 418C | R1-418 | R144 |
| R2-5 | X1/8 | R820 | BR1/8A | R4010 | R2-5 | 518C | R1-518 | R2-5 |
| R2-6 | | R824 | BR1/8A/6 | | R2-6 | 618C | R1-618 | R2-6 |
| R2 | R2 | R2 | BR1/6B | R4012 | R2 | R2C | R-2 | R2 |
| R2A | R2A | R2A | BR1/8B/083 | | R2A | R2AC | | RA2 |
| R155 | X5/32 | R1020 | 3967 | UL5010 | R155 | 5532C | RI-5532 | R155 |
| R156 | AX3/16 | R1220 | 4763A | UL6010 | R156 | 5632C | RI-5632 | R156 |
| R166 | X3/16 | R1224 | 4763B | UL6012 | R166 | 6316C | RI-6632 | R166 |
| R3 | Y3/16 | R3 | BR3/16 | R6016 | R3 | R3C | R-3 | R3 |
| R168 | X1/4 | R1624 | 6350A | UL8012 | R168 | 614C | RI-614 | R168 |
| R188 | R188 | R1632 | 6350B | UL8016 | R188 | 814C | RI-814 | R188 |
| R4 | Y1/4 | R4 | BR1/4A | R8020 | R4 | R4C | R-4 | R4 |
| R4A | R4A | R4A | BR1/4A | | R4A | R4AR | RI-1214 | |
| R1810 | | R2032 | 7938 | | R1810 | 8516C | RI-8516 | |
| R6 | Y3/8 | R620 | BR3/8 | | R6 | R6R | RI-1438 | |
| ROZZS | X3/64ZZ | R0310.2Z | 1191-2Z | ULZ1505 | 21/2CHH | RI-21/2ZZ | RAOZZA | |
| R1ZZ | R1ZZ | RO412.2Z | 1397-2Z | RF1706 | R1S | 3CHH | RI-3ZZ | RA1ZZ1 |
| R1-4ZZS | X5-64ZZ | R0516.2Z | BR5/64-2Z | RF2508 | R1-4SS | 4CHH | R1-4ZZ | RA1-4ZZ1 |
| R133ZZS | AX3/32ZZ | RO612.2Z | 2380-2Z | ULZ3006 | R133SS | 3332CHH | R1-3332ZZ | RA133ZZA |
| R144ZZ | AX1/8ZZ | RO816.2Z | 3175-2Z | ULZ4008 | R144SS | 418CHH | R1-418ZZ | RA144ZZA |
| R2-5ZZ | X1/8ZZ | R820.2Z | BR1/8A-2Z | RF4010 | R2-5SS | 518CHH | R1-518ZZ | RA2-5ZZA |
| R2-6ZZS | | R824.2Z | BR1/8A/6-2Z | | R2-6SS | 618CHH | R1-618ZZ | RA2-6ZZA |
| R2ZZ | R2ZZ | R2.2Z | BR1/8B-2Z | RF4012 | R2SS | R2CHH | R-2ZZ | R2ZZA |

| NSKF No. | ADR | FAG | GRW | RMB | BARDEN | MPB | NMB | NTN |
|----------|-----------|-----------|------------|----------|---------|----------|------------|------------|
| R155ZZS | X5/32ZZ | R1020.2Z | 3967-2Z | ULZ5010 | R155SS | 5532CHH | R1-5532ZZ | RA155ZZA |
| R156ZZS | AX3/16ZZ | R1220.2Z | 4763A-2Z | ULZ6010 | R156SS | 5632CHH | R1-5632ZZ | RA156ZZA |
| R166ZZ | X3/16ZZ | R1224.2Z | 4763B-2Z | ULZ6012 | R166SS | 6316CHH | R1-6632ZZ | R166ZZA |
| R3ZZ | Y3/16ZZ | R3.2Z | BR3/16-2Z | RF6016 | R3SS | R3CHH | R-3ZZ | RA3ZZ |
| R168ZZS | X1/4ZZ | R1624.2Z | 6350A-2Z | ULZ8012 | R168SS | 614CHH | R1-614ZZ | R168ZZA |
| R188ZZ | R188ZZ | R1632.2Z | 6350B-2Z | ULZ8016 | R188SS | 814CHH | R1-814ZZ | RA188ZZA |
| R4ZZ | Y1/4ZZ | R4.2Z | BR1/4A-2Z | RF8020 | R4SS | R4CHH | R-4ZZ | R4ZZ |
| R4AZZ | R4AZZ | R4A.2Z | BR1/4A-2Z | | R4ASS | R4ARHH | R1-1214ZZ | R4AZZ |
| R1810ZZS | | R2032.2Z | 7938-2Z | | R1810SS | 8516CHH | R1-8516ZZ | |
| R6ZZ | Y3/8ZZ | R6.2Z | BR3/6-2Z | | R6SS | R6RHH | R1-1438ZZ | R6ZZ |
| FR0ZZS | FX3/64ZZ | RF0310.2Z | F1191-2Z | ULKZ1505 | FR0SS | 21/2FCHH | RIF-21/2ZZ | FLRAOZZA |
| FR1ZZ | FR1ZZ | RF0412.2Z | F1397-2Z | RKF-1706 | FR1SS | 3FCHH | RIF-3ZZ | FLRA1ZZA |
| FR1-4ZZS | FX5/64ZZ | RF0516.2Z | F6/64-2Z | RKF2508 | FR1-4SS | 4FCHH | RIF-4ZZ | FLRA1-4ZZA |
| FR133ZZS | FAX3/32ZZ | RF0612.2Z | F2380-2Z | ULKZ3006 | FR133SS | 3332FCHH | RIF-3332ZZ | FLRA133ZZA |
| FR1-5ZZS | FX3/32ZZ | RF620.2Z | F3/32-2Z | RKF3010 | FR1-5SS | 5FCHH | RIF-5ZZ | FLRA1-5ZZA |
| FR144ZZ | FAX1/8ZZ | RF0816.2Z | F3175-2Z | ULKZ4008 | FR144SS | 418FCHH | RIF-418ZZ | FLRA144ZZA |
| FR2-5ZZ | FX1/8ZZ | RF820.2Z | F1/8A-2Z | RKF4010 | FR2-5SS | 518FCHH | RIF-518ZZ | FLRA2-5ZZA |
| FR2-6ZZS | | RF824.2Z | F1/8A/6-2Z | | FR2-6SS | 618FCHH | RIF-618ZZ | FLRA2-6ZZA |
| FR2ZZ | FR2ZZ | RF2.2Z | F1/8B-2Z | RKF4012 | FR2SS | R2FCHH | RF-2ZZ | FLR2ZZA |
| RF155ZZS | FX5/32ZZ | RF1020.2Z | F3967-2Z | ULKZ5010 | RF155SS | 5532FCHH | RIF-5532ZZ | FLRA155ZZA |
| FR156ZZS | FAX3/16ZZ | RF1220.2Z | F4763A-2Z | ULKZ6010 | FR156SS | 5632FCHH | RIF-5632ZZ | FLRA156ZZA |
| FR166ZZ | FX3/16ZZ | RF1224.2Z | F4763B-2Z | ULKZ6012 | FR166SS | 6316FCHH | RIF-6632ZZ | FLRA166ZZA |
| FR3ZZ | FY3/16ZZ | RF3.2Z | F3/16-2Z | RKF6016 | FR3SS | R3FCHH | RF-3ZZ | FLRA3ZZ |

| | | | | | | | | |
|-----------|-----------|-----------|------------|----------|----------|----------|-------------|------------|
| FR168ZZS | FX1/4ZZ | RF1624.2Z | F6350A-2Z | ULKZ8012 | FR168SS | 614CHH | RIF-614ZZ | FLRA166ZZA |
| FR188ZZ | FR188ZZ | RF1632.2Z | F6350B-2Z | ULKZ8016 | FR188SS | 814FCHH | RIF-814ZZ | FLRA188ZZA |
| FR4ZZ | FY1/4ZZ | RF4.2Z | F1/4A-2Z | RKF8020 | FR4SS | R4FCHH | RF-4ZZ | FLR4ZZ |
| FR1810ZZS | | RF2032.2Z | F7938-2Z | | FR1810SS | 8516FCHH | RIF-8516ZZ | |
| FR6ZZ | FY3/8ZZ | RF6.2Z | | | FR6SS | R6FRHH | RIF-1438ZZ | FLR6ZZ |
| FR0 | FX3/64 | RF0310 | F1191 | ULK1505 | FR0 | 21/2FC | RIF-21/2 | FLR0 |
| FR1 | FR1 | RF0412 | F1397 | RK1706 | FR1 | 3FC | RIF-3 | FLR1 |
| FR1-4 | FX5/64 | RF0516 | F6/64 | RK2508 | FR1-4 | 4FC | RIF-4 | FLR14 |
| FR133 | FAX3/32 | RF0612 | F2380 | ULK3006 | FR133 | 3332FC | RIF-3332 | FLR133 |
| FR1-5 | FX3/32 | RF620 | F3/32 | RK3010 | FR1-5 | 5FC | RIF-5 | FLR1-5 |
| FR144 | FAX1-8 | RF0816 | F3175 | ULK4008 | FR144 | 418FC | RIF-418 | RIF-144 |
| FR2-5 | FX1/8 | RF820 | F1/8A | RK4010 | FR2-5 | 518FC | RIF-518 | FLR2-5 |
| FR2-6 | | RF824 | F1/8A/6 | | FR2-6 | 618FC | RIF-618 | FLR2-6 |
| FR2 | FR2 | RF2 | F1/88 | RK4012 | FR2 | R2FC | RF-2 | FLR2 |
| FR155 | FX5/32 | RF1020 | F3967 | ULK5010 | FR155 | 5532FC | RIF-5532 | FLR155 |
| FR156 | FAX3/16 | RF1220 | F4763A | ULK6010 | FR156 | 5632FC | RIF-5632 | FLR156 |
| FR166 | FX3/16 | RF1224 | F4763B | ULK6012 | FR166 | 6316FC | RIF-6632 | FLR166 |
| FR3 | FY3/16 | RF3 | | RK6016 | FR3 | | | FLR3 |
| FR168 | FX1/4 | RF1624 | F6350A | ULK8012 | FR168 | 614FC | RIF-614 | FLR168 |
| FR188 | FR188 | RF1632 | F6350B | ULK8016 | FR188 | 814FC | RIF-814 | FLR188 |
| FR4 | FY1/4 | RF4 | F1/4A | RK8020 | FR4 | R4FC | RF-4 | FLR4 |
| FR1810 | | RF2032 | F7938 | | FR1810 | 8156FC | RIF-8516 | |
| FR6 | | | | | | | | |
| RW0 | LX3/64 | RE0310 | E1191 | ULU1505 | RW0 | 21/2CE | R121/2EE | RW0 |
| RW1 | LR1 | RE0412 | E1397 | RU1706 | RW1 | 3CE | RI-3EE | RW1 |
| RW1-4 | LX5/64 | RE0516 | E5/64 | | RW1-4 | 4CE | R1-4EE | RW1-4 |
| RW133 | LAX3/32 | RE0612 | E2380 | ULU3006 | RW133 | 3332CE | R1-3332EE | RW133 |
| RW1-5 | LX3/32 | RE620 | E3/32 | RU3010 | RW1-5 | 5CE | R1-5EE | RW1-5 |
| RW144 | LAX1/8 | RE0816 | E3175 | ULU4008 | RW144 | 418CE | R1-418EE | RW144 |
| RW2-5 | LX1/8 | RE820 | E1/8A | RU4010 | RW2-5 | 518CE | R1-518EE | RW2-5 |
| RW2-8 | | RE824 | E1/8A/6 | | RW2-6 | 618CE | R1-618EE | RW2-6 |
| RW2 | LR2 | RE2 | E1/8B | | RW2 | R2CE | R-2EE | RW2 |
| RW155 | LX5/32 | RE1020 | E3967 | | RW155 | 5532CE | R1-5532EE | RW155 |
| RW156 | LAX3/16 | RE1220 | E4763A | ULU6010 | RW156 | 5532CE | R1-5632EE | RW156 |
| RW166 | LX3/16 | RE1224 | E4763B | ULU6012 | RW166 | 6316CE | R1-6632EE | RW166 |
| RW168 | LX1/4 | RE1624 | E6350A | ULU8012 | RW168 | 614CE | R1-614EE | RW168 |
| RW188 | LR188 | RE1632 | E6350B | | RW188 | 814CE | R1-814EE | RW188 |
| RW1810 | | RE2032 | E7938 | | RW1810 | 8516CE | R1-8516EE | |
| RW0ZZS | LX3/64ZZ | RE0310.2Z | E1191-2Z | | | 21/2CHHE | R1-21/2ZZFF | RAW0ZZA |
| RW1ZZ | LR1ZZ | RE0412.2Z | E1397-2Z | | | 3CHHE | R1-3ZZEE | RAW1ZZA |
| RW1-4ZZS | LX5/64ZZ | RE0516.2Z | E5/64-2Z | | RW1-4SS | 4CHHE | R1-4ZZEE | RAW14ZZA |
| RW133ZZS | LAX3/32ZZ | RE0612.2Z | E2380-2Z | | RW133SS | 3332CHHE | RI-3332ZZEE | RAW133ZZA |
| RW1-5ZZS | LX3/32ZZ | RE620.2Z | E3/32-2Z | | RW1-5SS | 5CHHE | RI-5ZZEE | RAW1-5ZZA |
| RW144ZZ | LAX1/8ZZ | RE0816.2Z | E3175-2Z | ULUZ4008 | RW144SS | 418CHHE | RI-418ZZEE | RAW144ZZA |
| RW2-5ZZ | LX1/8ZZ | RE820.2Z | E1/8A-2Z | | RW2-5SS | 518CHHE | RI-518ZZEE | RAW2-5ZZA |
| RW2-6ZZS | | RE824.2Z | E1/8A/6-2Z | | RW2-6SS | 618CHHE | RI-618ZZEE | RAW2-6ZZA |
| RW2ZZ | LR2ZZ | RE2.2Z | E1/8B-2Z | | RW2SS | R2CHHE | R-2ZZEE | RAW2ZZA |
| RW155ZZS | LX5/32ZZ | RE1020.2Z | E3967-2Z | ULUZ5010 | RW155SS | 5532CHHE | RI-5532ZZEE | RAW155ZZA |
| RW156ZZS | LAX5/32ZZ | RE1220.2Z | E4763A-2Z | ULUZ6010 | RW156SS | 5632CHHE | RI-5632ZZEE | RAW156ZZA |
| RW166ZZ | LX3/16ZZ | RE1224.2Z | E4763B-2Z | ULUZ6012 | RW166SS | 6316CHHE | RI-6632ZZEE | RAW166ZZA |
| RW168ZZS | LX1/4ZZ | RE1624.2Z | E6350A-2Z | ULUZ8012 | RW168SS | 614CHHE | RI-614ZZEE | RAW168ZZA |
| RW188ZZ | LR188ZZ | RE1632.2Z | E6350B-2Z | | RW188SS | 814CHHE | RI-814ZZEE | RAW188ZZA |
| RW1810ZZS | | RE2032.2Z | E7938-2Z | | RW1810SS | 8516CHHE | RI-8516ZZEE | |